



Formulation of Photo Shield Antioxidant Herbal Peel Off Mask: A Systemic Review

Praveen Kumar Gupta, Ayushi Sharma, Aakriti Shah, Preeti Singh*

¹School of Pharmacy, Sharda University, Plot No. 32-34, Knowledge Park III, Greater Noida, Uttar Pradesh

Received: 16 Feb 2026 / Accepted: 10 Mar 2026 / Published online: 01 April 2026

*Corresponding Author Email: preetisingh01144@gmail.com

Abstract

Skin is continuously exposed to ultraviolet radiation, environmental pollutants, and oxidative stress, leading to premature aging, pigmentation, and loss of elasticity. This systematic review focuses on the development and evaluation of a "Photoshield" antioxidant herbal peel-off mask designed to provide photoprotection, detoxification, and skin rejuvenation. The study analyzes the role of plant-based antioxidants such as aloe vera, green tea, turmeric, neem, and vitamin C-rich extracts in neutralizing reactive oxygen species (ROS) and reducing inflammation. Data were collected from peer-reviewed journals and pharmaceuticals databases to assess formulation strategies, particularly the use of polyvinyl alcohol (PVA) as a film-forming agent, along with evaluation parameters including pH, viscosity, drying time, spreadability, stability, and skin irritation. Findings indicate that herbal antioxidants effectively enhance skin protection, hydration, and collagen integrity, while the peel-off mechanism aids in deep cleansing by removing impurities and dead cells. Additionally, these formulations demonstrate better tolerability compared to synthetic alternatives. The review concludes that the Photoshield herbal peel-off mask represents a promising advancement in herbal cosmetology; however, further in vivo studies and stability assessments are required to validate its clinical efficacy and commercial potential.

Keywords

Antioxidant, Herbal peel-off mask, Photoprotection, Reactive oxygen species, Polyvinyl alcohol, UV radiation, Free radical scavenging, Skin rejuvenation, Herbal cosmetology.

INTRODUCTION:

Think about everything your skin quietly endures every single day. Sun, pollution, wind, stress and yet it keeps working, protecting, regulating, and renewing. The skin is the body's largest organ, and it does far more than most people realize: it shields us from pathogens, helps regulate temperature, prevents excessive water loss, and acts as the first line of immune defence. But it has its limits. Sustained exposure to ultraviolet (UV) radiation something many of us experience without a second thought quietly chips away at that resilience over time. Add rising pollution levels to the equation, and it becomes clear why photoaging and related skin

disorders have become such a widespread and pressing concern. This is precisely the context from which the idea of a "Photoshield" antioxidant herbal peel-off mask was born not just another skincare product, but a genuinely multifunctional formulation designed to protect, restore, and nourish the skin using the power of nature. (Chaerunisaa et al., 2021a)

Skin and UV-Induced Oxidative Stress:

UV radiation doesn't just tan or burn the skin it sets off a molecular cascade with consequences that accumulate invisibly over years. When UVA (320–400 nm) and UVB (290–320 nm) rays penetrate the skin, they trigger the formation of reactive oxygen species (ROS): superoxide anions, hydroxyl radicals,

hydrogen peroxide, and other unstable molecules that wreak havoc at the cellular level. In small amounts, the skin can manage these threats through its own antioxidant defences – enzymes like superoxide dismutase, catalase, and glutathione work constantly to keep ROS in check. But with chronic or intense UV exposure, that defence system simply gets overwhelmed. (Chaerunisaa et al., 2021a) The fallout is significant. Oxidative stress damages lipids, proteins, and DNA; triggers inflammation and erythema; promotes hyperpigmentation; and degrades the collagen and elastin that keep skin firm and youthful. A key culprit in this process is the activation of matrix metalloproteinases (MMPs) enzymes that essentially dismantle the scaffolding of the dermis.

Over time, this manifests as wrinkles, sagging, dryness, and uneven skin tone. And in more serious cases, chronic UV-induced oxidative damage has been linked to immune suppression and an elevated risk of skin malignancies. It's a slow process, but the evidence is hard to ignore. (Rachmawati et al., 2025) This is why supplementing the skin's natural defences through well-designed topical formulations isn't a luxury it's a necessity.

The Role of Antioxidants in Photoprotection:

Antioxidants work by doing something elegantly simple: they donate electrons to unstable ROS, neutralizing them before they can damage healthy cells. But their role goes beyond just quenching free radicals. In the context of skin health, antioxidants also reduce inflammation, slow collagen breakdown, and support the skin's barrier function – making them genuinely multi-tasking ingredients.

Plants, in particular, are extraordinary sources of antioxidant compounds. Flavonoids, polyphenols, tannins, carotenoids, and vitamins A, C, and E are found abundantly in botanicals that have been used medicinally for centuries. Herbs like aloe vera, green tea, turmeric, neem, Licorice, and amla have now been rigorously studied in modern dermatological research – and the results validate what traditional practitioners long recognized. These plants don't just fight oxidative stress; they also soothe irritated skin, promote hydration, brighten complexion, and support the skin's natural healing mechanisms.

What makes herbal antioxidants especially attractive for cosmetic use is their biocompatibility. Unlike many synthetic antioxidants, plant-derived compounds tend to be gentler on the skin, carry a lower risk of adverse reactions, and often bring additional benefits antimicrobial, anti-inflammatory, wound-healing, or depigmenting properties – that make them well-suited for comprehensive topical formulations. (Rachmawati et al., 2025)

A Growing Demand for Herbal Cosmetics:

Something has shifted in how people think about skincare. Consumers today are more informed, more skeptical of synthetic ingredient lists, and more intentional about what they put on their skin. Concerns about parabens, sulphates, artificial fragrances, and harsh preservatives have driven a meaningful migration toward plant-based, eco-conscious alternatives. This isn't just a trend it reflects a deeper desire for products that feel safe, sustainable, and aligned with a more natural way of living. (Apriani et al., 2022)

Herbal cosmetics sit at the intersection of traditional knowledge and modern pharmaceutical science. They draw on centuries of botanical wisdom including Ayurvedic and folk medicine traditions and apply contemporary formulation techniques to make those insights more effective, stable, and accessible. The result is a growing category of products that consumers trust precisely because the ingredients feel familiar, transparent, and close to nature.

Peel-Off Masks: Why They Work and Why Consumers Love Them:

Peel-off masks occupy a unique and satisfying niche in skincare. Unlike rinse-off or leave-on products, they offer something tangible a physical, visible result. Built around film-forming polymers like polyvinyl alcohol (PVA), these formulations are applied as a viscous liquid that gradually dries into a flexible, continuous film. When that film is peeled away, it takes with it a layer of accumulated impurities: dead skin cells, excess sebum, surface pollutants, and debris lodged in pores. The skin underneath feels noticeably cleaner, smoother, and refreshed.

But the benefits of a well-formulated peel-off mask extend well beyond mechanical cleansing. During the drying phase which can last anywhere from 15 to 30 minutes the mask maintains close, sustained contact with the skin surface. This extended contact time creates an ideal window for active ingredients to penetrate and work. The mild occlusion created by the film can also enhance absorption of phytoconstituents, improving their efficacy compared to a simple rinse-off format. (Michalak, 2023c)

From a consumer standpoint, there's also a psychological dimension. The act of peeling seeing and feeling the mask lift away provides a sense of deep cleansing that rinse-off products simply can't replicate. That sensory satisfaction translates into perceived efficacy, which drives repeat use and brand loyalty. For a product containing antioxidant herbal actives, this is doubly valuable: not only does it work, it feels like it works.

The Rationale: Why Combine Antioxidant Herbs in a Peel-Off Base?

The "Photoshield" concept is built on a straightforward but powerful principle: synergy. Individually, herbal extracts bring distinct strengths one may excel at scavenging free radicals, another at reducing inflammation, another at stimulating collagen production. When combined in thoughtful proportions, these extracts complement and reinforce each other, producing effects that no single ingredient could achieve alone. (Apriani et al., 2022) The peel-off base is more than just a vehicle it's a strategic choice. The film-forming matrix ensures that herbal actives remain in prolonged contact with the skin, maximizing their opportunity to act. The mild occlusive effect of the drying film can enhance percutaneous penetration of plant phytoconstituents, meaning more of what's formulated actually reaches the skin where it's needed. And because herbal ingredients are generally well-tolerated, the formulation carries a strong safety profile important for any product that will be used regularly and left on the skin for extended periods. (Tomas et al., 2025)

The name "Photoshield" is intentional. This is not a mask designed merely to cleanse or brighten it is formulated specifically to build a layer of antioxidant defence against the photodamage that accumulates with every day of UV exposure. It aims to combine three functions in one elegant product: cleansing through mechanical film removal, protection through free radical scavenging, and skin restoration through nourishing herbal actives.

OBJECTIVES OF THIS REVIEW:

This systematic review was undertaken with a clear and structured purpose to bring together the available scientific evidence and lay a rigorous foundation for the formulation of a Photoshield antioxidant herbal peel-off mask. Specifically, it aims to:

- **Examine the pathophysiology of UV-induced oxidative stress in the skin** and make the case for why antioxidant-based topical formulations are not optional but essential.
- **Evaluate the role of natural antioxidants in photoprotection** including how they work, what makes them effective, and what the evidence says about their therapeutic potential.
- **Review existing literature on herbal cosmetic formulations** particularly peel-off masks incorporating antioxidant plant extracts, to understand what's been done and what remains to be explored.

- **Assess the suitability of film-forming agents and excipients** used in peel-off mask formulations, and identify which combinations offer the best balance of performance, stability, and skin compatibility.
- **Identify the key evaluation parameters** including pH, viscosity, spread ability, drying time, stability, skin irritation testing, and antioxidant activity assays that define a well-characterized formulation.
- **Provide a scientific rationale for the Photoshield formulation concept** demonstrating that the combination of antioxidant-rich plant extracts in a peel-off base is both scientifically sound and practically feasible. (Tomas et al., 2025)

By the end of this review, the goal is not simply to have summarized the literature it is to have built a coherent, evidence-based argument for why the Photoshield antioxidant herbal peel-off mask deserves to exist, and what it would take to develop it well. The findings are intended to serve as a practical reference for future formulation research, clinical evaluation, and ultimately, the development of a natural photoprotective cosmetic product that genuinely meets the demands of modern skincare consumers. (Beringhs et al., 2013)

Skin Physiology & Photodamage:

Before we can understand how a Photoshield formulation works or why it's even needed we need to understand what we're protecting and what we're protecting it from. The skin isn't just a passive wrapper; it's a living, dynamic organ with a level of complexity that most people never think about. It is the body's largest organ, and it manages an astonishing number of jobs simultaneously: shielding internal tissues from pathogens and chemicals, regulating body temperature, generating sensory signals, conducting immune surveillance, and preventing the body from losing too much water. It does all of this, every hour of every day, without us giving it a second thought until something goes wrong. (Birade & Shete, 2024)

Understanding skin's structure and the ways UV radiation disrupts it isn't just academic. It's the scientific bedrock on which any serious photoprotective formulation must be built.

Structure of the Skin:

The skin is organized into three primary layers the epidermis, the dermis, and the hypodermis each playing a distinct role in protecting and sustaining the body. These layers don't work in isolation; they interact constantly, and damage to one invariably affects the others.

• The Epidermis The Outermost Shield:

The epidermis is what we see and touch, but calling it just a surface layer dramatically undersells its sophistication. It's a living, self-renewing barrier composed primarily of keratinocytes cells that gradually migrate upward through five distinct strata as they mature and eventually become the tough, dead outer layer that protects everything beneath. (Moltrasio et al., 2022)

At the base sits the **stratum basale**-the deepest, most active layer, where cells divide continuously to replenish the epidermis. It also harbours melanocytes, the pigment-producing cells that will become central to our discussion of photodamage. Moving upward, the **stratum spinosum** provides structural integrity through tight intercellular connections. The **stratum granulosum** is where keratinization begins in earnest, laying the groundwork for the skin barrier.

The **stratum lucidum** appears only in areas of thick skin the palms and soles adding an extra layer of protection where mechanical stress is greatest. And finally, the **stratum corneum**-the outermost layer of dead, flattened, keratinized cells are the skin's first and most critical line of defence against pathogens, irritants, and water loss. (Möbus et al., 2020)

Crucially, the epidermis has no blood supply of its own; it depends entirely on diffusion from the dermis for nutrients. It also contains Langerhans cells, which play an important role in immune defence, and Merkel cells involved in sensory perception. And because it faces the outside world most directly, it is the layer most immediately exposed to and damaged by UV radiation. (Möbus et al., 2020)

• The Dermis The Skin's Structural Core:

Directly beneath the epidermis lies the dermis, and this is where the skin's structural strength lives. A dense, interwoven matrix of collagen and elastin fibres embedded in a gel-like ground substance of glycosaminoglycans and proteoglycans gives the skin its firmness, elasticity, and ability to bounce back from mechanical stress. It's also where the skin gets its blood supply, its sensory nerve endings, its sweat glands, its sebaceous glands, and its hair follicles.

The dermis is divided into two zones: the **papillary dermis** the superficial portion with finer collagen fibres and a rich capillary network and the **reticular dermis**, which lies deeper and contains thicker collagen bundles and denser elastic fibres. Fibroblasts, the primary cell type of the dermis, are responsible for synthesizing and maintaining this collagen-elastin architecture. This is why the dermis is so central to the story of photoaging when UV radiation penetrates deeply enough to damage this

layer, the structural consequences are profound and often irreversible. (Moltrasio et al., 2022)

• The Hypodermis: the Foundation Layer:

Beneath the dermis lies the hypodermis sometimes called the subcutaneous layer composed mainly of adipose tissue and loose connective tissue. While it may seem like simply a layer of fat, it serves important functions: acting as an energy store, cushioning the body against physical impact, providing thermal insulation, and anchoring the skin to underlying muscle and bone. Although the hypodermis is less directly affected by UV radiation than the layers above it, chronic and severe photodamage can indirectly alter its composition and structure over time another reminder that skin damage is rarely confined to a single layer.

UV Radiation: Types and What They Actually Do to Skin:

Not all sunlight is equal, and not all UV radiation behaves the same way in the skin. The UV spectrum is divided into three bands based on wavelength, each with different penetration depths and biological effects. Understanding these distinctions matters enormously when designing photoprotective formulations because different UV bands demand different defensive strategies. (Mohania et al., 2017)

• UVA (320–400 nm) The Silent Ager:

UVA rays make up the vast majority of UV radiation reaching the Earth's surface, and they are relentless. Present throughout the day, year-round, and capable of passing through cloud cover and glass, UVA rays are the quiet, persistent force behind photoaging. They penetrate deeply all the way into the dermis where they generate reactive oxygen species (ROS) and cause indirect DNA damage. Over time, this translates to collagen degradation, loss of elasticity, wrinkle formation, and the gradual textural changes we associate with aged skin. UVA damage is cumulative and largely invisible in the short term, which is precisely what makes it so insidious. (Mohania et al., 2017)

• UVB (290–320 nm)-The Burning Force:

UVB rays are more energetic and more acutely damaging than UVA. They primarily affect the epidermis and are the main cause of sunburn that familiar erythema that develops hours after intense sun exposure. At the molecular level, UVB radiation directly damages DNA by inducing the formation of cyclobutene pyrimidine dimers, which distort the DNA helix and can trigger mutations if not repaired. UVB plays a well-established role in skin carcinogenesis, and while its intensity varies with season, latitude, and time of day, its biological

impact is significant even in relatively short exposures.

• **UVC (100–290 nm) Blocked But Not Ignored:**

Under normal atmospheric conditions, UVC radiation is almost entirely absorbed by the ozone layer and does not reach the Earth's surface in meaningful amounts. However, artificial UVC sources used in sterilization equipment, for example can cause severe skin damage upon direct exposure. For most practical purposes in skincare formulation, UVC is not the primary concern; UVA and UVB are the real targets.(Fonseca et al., 2024)

ROS and the Biology of Skin Aging:

Reactive oxygen species don't just damage individual molecules they trigger broader signalling events that fundamentally alter how skin cells behave. One of the most consequential of these is the activation of mitogen-activated protein kinases (MAPKs), a family of signaling proteins that, in response to ROS, upregulate the production of matrix metalloproteinases (MMPs).

MMPs are enzymes whose normal function is to remodel the extracellular matrix- breaking down old collagen and elastin to make way for new fibres. But under conditions of chronic oxidative stress, MMP activity becomes excessive and uncontrolled. Collagen and elastin are degraded faster than fibroblasts can replace them, and the structural architecture of the dermis begins to unravel. The clinical manifestations are exactly what we recognize as the hallmarks of skin aging:(Nichols & Katiyar, 2009a)

- Wrinkle formation and deepening of expression lines
- Loss of skin firmness and elasticity the 'bounce-back' quality of young skin diminishes
- Skin laxity and sagging, particularly around the jawline and eyes
- Rough, dull texture as surface renewal slows
- Increased trans epidermal water loss (TEWL) as barrier integrity weakens

This form of aging driven by UV exposure and oxidative stress rather than the biological clock alone is called photoaging, and it's fundamentally different from intrinsic, chronological aging. Photoaging is largely preventable. That distinction matters enormously, because it means the right formulation one that reliably delivers antioxidant protection to the skin can make a measurable, real-world difference.(Nichols & Katiyar, 2009a)

Melanogenesis and Hyperpigmentation: When Protection Becomes a Problem:

The body's response to UV radiation isn't purely destructive- it also activates a protective mechanism that most people know simply as tanning.

Melanogenesis, the biological process of melanin synthesis, is the skin's attempt to shield itself from further UV-induced damage. But like so many biological defence mechanisms, it becomes problematic when it's overactivated or dysregulated.(Theile et al., 2017)

Melanin is produced in melanocytes specialized cells found in the stratum Basale of the epidermis through a pathway that begins with the amino acid tyrosine. Tyrosinase, the key enzyme in this pathway, converts tyrosine to DOPA (dihydroxyphenylalanine), which is further oxidized to dopaquinone and eventually to one of two forms of melanin:

- **Eumelanin**-the brown-to-black form, which provides effective photoprotection by absorbing and scattering UV photons
- **Pheomelanin**-the yellow-to-red form, which offers far less protective capacity and may even generate ROS under UV exposure

UV radiation accelerates this process by increasing tyrosinase activity and stimulating the release of alpha-melanocyte-stimulating hormone (α -MSH). This hormone binds to melanocortin-1 receptors (MC1R) on melanocytes and activates cyclic AMP signaling, ramping up melanin production. In moderation, this is protective it's the body doing exactly what it should. But sustained or intense UV stimulation, combined with the inflammatory and oxidative signals generated by ROS, can tip the balance into hyperpigmentation.

The result is the kind of uneven pigmentation that many people find so difficult to address: melasma (the mask-like patches often triggered by hormonal changes combined with UV exposure), solar lentigines (sunspots), and post-inflammatory hyperpigmentation that can linger for months after a skin insult. Oxidative stress amplifies all of this by further upregulating tyrosinase activity and activating pro-inflammatory mediators that sustain the pigmentation cycle long after the initial UV trigger has passed.

This is why effective photoprotection isn't just about SPF- it requires antioxidant activity to disrupt the ROS-driven chain of events that fuels both aging and pigmentation simultaneously.(Mohania et al., 2017)

Putting It Together:

The skin is not a passive surface it is an intricate, layered organ with its own defence systems, renewal mechanisms, and signaling networks. UV radiation doesn't simply harm the skin; it hijacks those systems, generating free radicals that overwhelm antioxidant defences, activating enzymes that dismantle structural proteins, and dysregulating

pigmentation pathways that were designed to protect but can instead cause harm.

Understanding this really understanding it makes clear why antioxidant protection needs to be built into photoprotective skincare formulations at a fundamental level. Sunscreens can filter UV photons before they reach the skin, but they cannot address the ROS already generated, the inflammatory cascades already triggered, or the MMP activity already underway. Antioxidant actives are the piece that fills that gap and herbal antioxidants, with their diversity of mechanisms and their biocompatibility, are particularly well-positioned to do it.

This is the scientific foundation on which the Photoshield antioxidant herbal peel-off mask is built: a deep, evidence-based understanding of what UV radiation actually does to skin, and a deliberate formulation strategy designed to counter it at every relevant biological level. (Harwansh & Deshmukh, 2023)

Antioxidants in Skin Care:

If UV radiation is the threat, antioxidants are the response. Skin is bombarded daily by a broad spectrum of environmental aggressors UV rays, urban pollution, cigarette smoke, microbial byproducts and each of these contributes to the accumulation of reactive oxygen species (ROS) that drive oxidative stress, inflammation, premature aging, and pigmentation disorders. The body doesn't take this passively; it has its own antioxidant defence systems working constantly to contain the damage. But those systems have limits. When they're overwhelmed which happens more easily and more often than most people realize the consequences show up on the skin in ways that are frustratingly familiar: dullness, fine lines, uneven tone, persistent inflammation. (Pacífico et al., 2017)

This is why antioxidants have become so central to modern dermatology and cosmetic science. They aren't just a marketing buzzword or a trend; they are scientifically grounded ingredients that address oxidative skin damage at a mechanistic level. Understanding how they work, which ones matter, and how to actually get them into the skin effectively is essential to building any formulation including the Photoshield antioxidant herbal peel-off mask that aims to deliver real photoprotective benefit. (Pacífico et al., 2017)

Endogenous vs. Exogenous Antioxidants: The Body's Own Toolkit and Its Limits:

The skin's antioxidant defences fall into two broad categories: those it produces itself, and those it needs to be given. Both matters, and they work best together.

1. Endogenous Antioxidants: The Skin's Built-In defence:

Endogenous antioxidants are the skin's first responders. They're always present, always active, and they handle an enormous volume of oxidative threats every single day without any external input. They come in two forms:

Enzymatic antioxidants. including superoxide dismutase (SOD), catalase, and glutathione peroxidase form a coordinated detoxification cascade. SOD, for example, converts the highly reactive superoxide radical into hydrogen peroxide, which catalase then breaks down into harmless water and oxygen. It's an elegant, efficient system. (Pillai et al., 2005)

Non-enzymatic antioxidants glutathione, uric acid, and coenzyme Q10 complement the enzymatic network, scavenging additional free radicals and supporting cellular redox balance.

The problem is capacity. Under normal conditions, this system copes well. But with sustained UV exposure, chronic pollution, or other compounding stressors, the rate of ROS production outpaces the skin's ability to neutralize it. Endogenous antioxidant reserves become depleted, enzymatic efficiency declines, and the skin is left increasingly vulnerable to oxidative damage. This is not a sign of biological failure it's simply a system that was designed for a very different environmental load than the one modern skin faces. (Pillai et al., 2005)

2. Exogenous Antioxidants-Restoring the Balance from Outside

Exogenous antioxidants-sourced from diet, supplements, or topical cosmetic formulations step in where the endogenous system falls short. In the context of skincare, topical application is particularly valuable because it delivers antioxidants directly to the tissue where oxidative stress is occurring, without relying on systemic absorption or distribution. When the skin's own defences are depleted by UV exposure, a well-formulated topical antioxidant can effectively replenish that deficit at the site of need.

Critically, endogenous and exogenous antioxidants don't just add up they interact synergistically. Topical antioxidants can regenerate depleted endogenous antioxidants, extend their functional lifespan, and collectively provide a level of photoprotection that neither could achieve independently. This synergy is one of the most compelling arguments for including multiple, complementary antioxidant actives in a single formulation. (Yu et al., 2019)

How Antioxidants Actually Protect the Skin?

Antioxidants don't work through a single mechanism, they operate across several interconnected

biological pathways, which is part of what makes them so versatile and valuable in photoprotective formulations.

1. Free Radical Scavenging The Primary defence

At its most fundamental level, antioxidant activity is about chemistry: donating an electron to a free radical to neutralize it before it can steal one from a cellular component. What makes antioxidants special is that, unlike the molecules they protect, they can give up an electron without becoming dangerously reactive themselves. This ability to terminate free radical chain reactions the kind that propagate through cell membranes via lipid peroxidation, oxidizing one molecule after another is the cornerstone of antioxidant function.(Rizzardi, Liparulo, Antonelli, Orsini, Riva, Bergamini, Fato, et al., 2021a)

Vitamin C is a classic example of this in action: it donates electrons to neutralize hydroxyl radicals and superoxide anions, intercepting the oxidative cascade before it reaches DNA, proteins, or membrane lipids.

2. Enzyme Inhibition-Protecting Structural Integrity

UV exposure doesn't just generate free radicals it also activates enzymes that directly dismantle the skin's structure. Matrix metalloproteinases (MMPs), as discussed in the previous section, degrade collagen and elastin when overactivated by oxidative stress. Certain antioxidants inhibit MMP activity, providing a structural protective effect that goes beyond simple radical scavenging they help preserve the collagen scaffold that keeps skin firm and resilient.

Antioxidants can also inhibit tyrosinase, the rate-limiting enzyme in the melanogenesis pathway. By slowing tyrosinase activity, they reduce the overproduction of melanin that drives hyperpigmentation making them relevant not just for anti-aging but for achieving and maintaining an even skin tone.(Rizzardi, Liparulo, Antonelli, Orsini, Riva, Bergamini, Fato, et al., 2021a)

3. Anti-Inflammatory Action Calming the Cascade

Oxidative stress and inflammation are deeply intertwined each amplifies the other in a cycle that, left unchecked, sustains chronic skin damage. Many antioxidants interrupt this cycle by suppressing inflammatory mediators: prostaglandins, cytokines, and other signaling molecules that drive redness, swelling, and tissue breakdown. This anti-inflammatory dimension is especially relevant in the context of UV-induced erythema and the low-grade, persistent inflammation that accelerates photoaging over time.

4. DNA Protection and Repair: the Deepest Layer of defence

Some antioxidants go further still, helping to prevent UV-induced DNA mutations or supporting the cellular machinery responsible for repairing DNA damage after it occurs. This capacity to reduce the mutagenic burden of UV exposure places certain antioxidants in a genuinely preventive role one that contributes, over the long term, to reducing the risk of photoaging and UV-associated skin malignancies.(Rizzardi, Liparulo, Antonelli, Orsini, Riva, Bergamini, Fato, et al., 2021a)

The Key Antioxidant Compounds: What the Evidence Shows:

Not all antioxidants are equal, and the most useful ones for topical skincare each bring a distinct profile of activity, stability characteristics, and formulation considerations. Here's what the science actually says about the heavy hitters:

1. Vitamin C (Ascorbic Acid): The Gold Standard:

Vitamin C is one of the most extensively studied and validated antioxidants in dermatology and for good reason. It's a potent water-soluble free radical scavenger, a proven stimulator of collagen synthesis (via its essential role in proline hydroxylation), and a tyrosinase inhibitor that has been shown to reduce hyperpigmentation and improve skin brightness.(Rinnerthaler et al., 2015a) Perhaps most importantly, it regenerates oxidized Vitamin E, effectively extending the functional life of another key antioxidant and creating a self-reinforcing protective network.

The challenge with Vitamin C is stability. Ascorbic acid is highly prone to oxidation when exposed to air, light, and heat, and once oxidized it loses its biological activity. This means formulation matters enormously derivative forms, protective packaging, and appropriate pH (acidic conditions stabilize ascorbic acid) are all critical considerations for any formulation relying on Vitamin C for antioxidant activity.

2. Vitamin E (Tocopherol): The Membrane Protector:

Where Vitamin C operates in the aqueous environment of the cell, Vitamin E lives in lipid environments and that makes it the primary defender of cell membranes. As a lipid-soluble antioxidant, it integrates directly into the phospholipid bilayers of cell membranes and intercepts lipid peroxidation at the source. In the stratum corneum specifically, it plays a critical role in preventing moisture loss and maintaining barrier integrity. Combined with Vitamin C, the two vitamins provide complementary coverage across both lipid and aqueous cellular compartments a pairing that

consistently outperforms either ingredient used alone. (Rinnerthaler et al., 2015a)

3. Polyphenols Nature's Broad-Spectrum

Defenders:

Polyphenols are plant-derived compounds found in an extraordinary range of botanicals green tea, grapes, berries, pomegranate, and many others and they are among the most intensively studied natural antioxidants in cosmetic science. Their free radical scavenging capacity is high, their anti-inflammatory activity is well-documented, and their ability to protect against UV-induced erythema has been demonstrated in multiple clinical studies.

Epigallocatechin gallate (EGCG) the predominant polyphenol in green tea stands out as one of the most potent and well-characterized photoprotective plant compounds known. Its mechanisms include free radical scavenging, MMP inhibition, anti-inflammatory signaling, and even DNA repair support, making it an exceptionally multi-functional ingredient for inclusion in photoprotective formulations.

4. Flavonoids- The Structural Defenders:

Flavonoids are a structurally diverse subclass of polyphenols, found abundantly in herbs like turmeric, neem, Licorice, and citrus plants with long histories of use in traditional medicine that modern science has validated as genuinely bioactive. They stabilize free radicals through electron donation, strengthen capillary walls to reduce inflammatory leakage, inhibit MMPs to protect collagen, and suppress tyrosinase activity to address pigmentation. Their multitarget mechanism profile makes them particularly valuable in formulations aimed at comprehensive photoprotection rather than a single endpoint. (Ngoc et al., 2023)

5. Carotenoids-Colour with Purpose:

Carotenoids beta-carotene, lycopene, lutein, and others are the pigments responsible for the red, orange, and yellow hues of many fruits and vegetables. In the context of skincare, they function as lipid-soluble antioxidants with a particular affinity for quenching singlet oxygen, one of the most damaging ROS species generated by UV exposure. They accumulate in the skin both through dietary intake and topical application and contribute to baseline photoprotection, UV-induced erythema reduction, and overall improvement in skin tone and radiance.

Antioxidants and SPF: Complementary, Not Competitive:

It's important to be precise about what antioxidants can and cannot do in the context of sun protection. SPF measures protection against UVB-induced erythema a function primarily served by UV-filtering

agents (organic and inorganic sunscreen actives). Antioxidants do not replace sunscreen; they are not filters and should not be positioned as such. (Fратиanni et al., 2020)

What they do is address a gap that sunscreen filters leave open. No filter captures 100% of UV photons, and even the photons that are absorbed by sunscreen agents can generate low levels of ROS as a byproduct of that absorption. Antioxidants work in the photons' wake neutralizing the ROS that UV exposure generates, reducing the inflammatory response that follows, supporting barrier function, and preventing the cumulative cellular damage that drives photoaging even at sub-arrhythmogenic UV doses.

Some plant-derived antioxidants also contain compounds with mild UV-absorbing capacity polyphenols and flavonoids, for instance, absorb at specific UV wavelengths which may contribute modestly to SPF when incorporated into a formulation. The broader point is that antioxidants and UV filters form a genuinely complementary system: filters reduce the initial photonic insult; antioxidants mop up what gets through. Together, they provide more comprehensive photoprotection than either approach alone. (Fратиanni et al., 2020)

Getting Antioxidants into the Skin: The Bioavailability Challenge:

Formulating with antioxidants is not simply a matter of adding them to a base and hoping for the best. For a topical antioxidant to be effective, it must navigate the stratum corneum the skin's tightly packed outer barrier and reach the viable epidermal and dermal cells where oxidative stress is actually occurring. This is genuinely challenging, and it's where many well-intentioned formulations fall short. (Nichols & Katiyar, 2009b)

1. Molecular Size and Lipophilicity:

The stratum corneum is fundamentally a lipid-rich environment, which means lipid-soluble molecules generally penetrate more readily than water-soluble ones. Vitamin E, being lipophilic, integrates naturally into the intercellular lipid matrix. Vitamin C, being hydrophilic, requires specific formulation strategies lower pH, penetration enhancers, or encapsulation to reach therapeutic concentrations in deeper skin layers. (Rinnerthaler et al., 2015b)

2. Stability in the Formulation:

Many antioxidants are inherently unstable they react with oxygen, degrade in light, or break down at elevated temperatures. An antioxidant that has oxidized in the bottle before it ever reaches the skin provides no benefit and may even contribute to oxidative load. Stabilized derivatives, amber or opaque packaging, nitrogen-blanketed filling, and

thoughtful pH control are not cosmetic niceties they are functional requirements for delivering active antioxidants to the skin in an effective form.(Rinnerthaler et al., 2015b)

3. Advanced Delivery Systems:

When conventional formulation approaches aren't sufficient, more sophisticated delivery technologies can be employed. Liposomes encapsulate both lipophilic and hydrophilic antioxidants in phospholipid vesicles that fuse with skin lipids and release their cargo in situ. Nano emulsions reduce particle size to improve penetration. Microencapsulation protects sensitive actives from degradation during storage and controls their release kinetics once applied. For a formulation like the Photoshield mask which aims to deliver meaningful antioxidant activity during its dwell time on the skin these delivery considerations are directly relevant to efficacy.(Mukherjee et al., 2011a)

4. Concentration and pH:

Antioxidant concentration needs to be high enough to produce a measurable biological effect but not so high as to cause irritation or instability. pH is equally important Vitamin C, for example, is most stable and most active at pH values below 3.5, a range that must be balanced carefully against skin comfort. These variables aren't afterthoughts; they are central formulation decisions that determine whether an antioxidant ingredient actually performs in use.(Mukherjee et al., 2011a)

The Bigger Picture:

Antioxidants are, in a very real sense, the scientific backbone of the Photoshield concept. The case for including them in photoprotective skincare is not speculative it is built on decades of research into the mechanisms of UV-induced skin damage and the documented capacity of these compounds to interrupt those mechanisms at multiple points simultaneously.

What makes the herbal antioxidant approach particularly compelling is the sheer breadth of activity that plant-derived compounds can offer: Vitamin C and E work across lipid and aqueous compartments; polyphenols like EGCG offer multi-pathway photoprotection; flavonoids address both structural damage and pigmentation; carotenoids quench singlet oxygen at the membrane. No single synthetic antioxidant covers all of these bases. A thoughtfully formulated blend of herbal antioxidants can.(Michalak, 2023a)

The remaining challenge and it is a real one is ensuring that these actives are delivered to the skin in a stable, bioavailable, and effective form. That is precisely the formulation challenge that the Photoshield peel-off mask is designed to meet: a

system that keeps antioxidant actives in sustained contact with the skin, in a format that maximizes penetration and efficacy, and that users will actually want to apply.

Herbal Ingredients of Interest:

Choosing the right herbal ingredients for a photoprotective formulation is not simply a matter of picking plants with antioxidant activity every botanical worth its place in a serious formulation needs to bring something specific and scientifically substantiated to the blend. For the Photoshield antioxidant herbal peel-off mask, four plant ingredients were selected on the basis of their complementary profiles: green tea, vetiver root, red raspberry, and marigold. Together, they cover a broad spectrum of protective mechanisms free radical scavenging, anti-inflammation, barrier strengthening, skin soothing, and mild UV absorption without redundancy. Each earns its place independently; together, they create something greater than the sum of their parts.(Michalak, 2023a) What follows is a close look at each ingredient: where it comes from, what it contains, what the science says about how it behaves on skin, and why it belongs in this formulation.

1. Green Tea (*Camellia sinensis*)- The Antioxidant Anchor:

Source and Background:

Camellia sinensis is an evergreen shrub in the Theaceae family, native to East Asia and now cultivated across China, India, Japan, and tropical and subtropical regions worldwide. What distinguishes green tea from black or oolong tea isn't the plant it's the processing. Green tea is made from unfermented leaves, and that matters enormously: it means the delicate polyphenolic compounds that give the plant its antioxidant power are preserved rather than oxidized away during production rather than oxidized away during production.(Koch et al., 2019)

What's Inside?

Green tea's bioactive profile is dominated by catechins a group of polyphenolic compounds that have been the subject of hundreds of studies in dermatology and cosmetic science. The four principal catechins are epigallocatechin gallate (EGCG), epigallocatechin (EGC), epicatechin gallate (ECG), and epicatechin (EC). Of these, EGCG is consistently identified as the most potent antioxidant component some studies suggest it may be up to 100 times more effective than Vitamin C in certain in vitro assays. Beyond catechins, green tea also contains caffeine, the calming amino acid theanine, and meaningful quantities of Vitamins C and E, adding further layers to its already impressive antioxidant portfolio.(Koch et al., 2019)

What It Does for Skin?

Green tea's skin-protective mechanisms are unusually broad. Its catechins are powerful scavengers of the reactive oxygen species generated by UV exposure, intercepting the oxidative cascade before it can damage lipids, proteins, and DNA. But green tea goes well beyond raw radical scavenging. EGCG and its sibling catechins suppress the production of pro-inflammatory cytokines, reducing the inflammatory response that follows UV exposure and making green tea genuinely useful for calming reactive, sun-stressed, or acne-prone skin. They also inhibit matrix metalloproteinases the collagen-degrading enzymes whose overactivation is one of the primary drivers of photoaging providing a structural protective effect that complements its antioxidant activity.(Chaerunisaa et al., 2021b) The result is a remarkably multi-functional ingredient: it protects against UV-induced erythema, reduces inflammation, preserves collagen, demonstrates antimicrobial activity, and supports overall skin clarity. Few single plant extracts offer this combination at this level of scientific validation.

Established Cosmetic Use:

Green tea extract has been a staple in high-performance skincare for decades. It appears in serums, creams, sunscreens, toners, and face masks across the full spectrum of price points and formulation philosophies a testament to the breadth and consistency of evidence behind it. In a peel-off mask format specifically, it contributes antioxidant defence during the dwell time while the film sets, and leaves skin with improved clarity, reduced oiliness, and a smoother texture after removal.(Koch et al., 2019) For the Photoshield mask, green tea is the antioxidant anchor the ingredient around which the rest of the blend is built.

2. Vetiver Root (*Chrysopogon zizanioides*) The Calming Counterpart

Source and Background:

Vetiver known in India as khus is a perennial grass of the Poaceae family with roots that have been prized for centuries in Ayurvedic medicine and traditional perfumery alike. Native to India, it is now cultivated across tropical regions worldwide. It's the roots, not the blades or seeds, that matter here: dense, fibrous, and distinctively aromatic, vetiver roots contain a concentrated array of bioactive compounds that have made them a staple in both therapeutic and cosmetic traditions across South and Southeast Asia.

What's Inside?

Vetiver root's chemistry is dominated by its essential oil, which is rich in sesquiterpene compounds including *vetiverol*, *vetivone*, and *khusimol*. These sesquiterpenes, along with the root's phenolic

content, are primarily responsible for its antioxidant and anti-inflammatory activity. The essential oil also carries the characteristic deep, earthy, woody scent that gives vetiver its long-standing role in perfumery a sensory dimension that is not irrelevant to cosmetic formulation, where user experience matters as much as ingredient efficacy.

What It Does for Skin?

Vetiver's antioxidant activity is real but moderate it is not going to out-scavenge green tea's catechins, and it shouldn't be expected to. Its value in this formulation lies elsewhere: in its cooling, calming, and anti-inflammatory properties that make it an excellent complement to the more potent antioxidant actives. Vetiver soothes irritated and sun-exposed skin, reduces redness, and supports moisture retention qualities that matter enormously in a post-UV-exposure context when the skin is not just oxidatively stressed but often physically reactive and sensitized.(De Tollenaere et al., 2020)

Established Cosmetic Use:

Vetiver has a long track record in Ayurvedic preparations facial toners, cooling mists, therapeutic soaps and is increasingly finding its way into modern cosmetic formulations that draw on traditional botanical wisdom. In the Photoshield mask, vetiver root extract does what the best supporting ingredients do: it reinforces the primary actives, improves tolerability, adds a sensory dimension, and ensures that the overall user experience is as positive as the underlying science.(Winck et al., 2010)

3. Red Raspberry (*Rubus idaeus*)-The Nourishing Protector:

Source and Background:

Rubus idaeus is a familiar fruit-bearing plant of the Rosaceae family, native to Europe and northern Asia, now cultivated widely in temperate climates around the world. In cosmetic science, it's not the fruit itself that attracts the most attention it's the seeds. Raspberry seed oil, cold-pressed from those seeds, has become one of the more interesting natural ingredients in photoprotective skincare, not just for what it contains but for what some researchers believe it can do in terms of UV interaction.

What's Inside?

Red raspberry is one of the most nutritionally dense plant ingredients in this formulation. It brings Vitamins C and E together in a single source covering both the water-soluble and lipid-soluble antioxidant domains simultaneously. Ellagic acid, a polyphenol with well-documented antioxidant and anti-inflammatory properties, is present in meaningful concentrations. Anthocyanins contribute additional free radical scavenging activity and the characteristic

red pigmentation of the fruit. Flavonoids and carotenoids add further antioxidant breadth, while the essential fatty acids in raspberry seed oil particularly alpha-linolenic acid (omega-3) and linoleic acid (omega-6) provide barrier-strengthening and anti-inflammatory lipid nutrition.(Oomah et al., 2000)

What It Does for Skin?

The antioxidant case for red raspberry is strong and multifaceted. Its combined load of Vitamins C and E, ellagic acid, anthocyanins, and flavonoids provides comprehensive free radical scavenging activity across multiple oxidative pathways. Ellagic acid specifically has been shown to inhibit UV-induced collagen degradation and suppress melanin overproduction giving red raspberry a meaningful role in both anti-aging and anti-hyperpigmentation strategies.(Oomah et al., 2000)

Raspberry seed oil has attracted particular scientific interest for its UV-absorbing properties. Some early studies suggested it might offer SPF-equivalent protection in the 28–50 range a claim that has since been contested and refined, but that reflects a genuinely real UV-absorbing capacity attributable to its tocopherol and carotenoid content. The current consensus is more measured: raspberry seed oil is not a sunscreen replacement, but it does absorb at relevant UV wavelengths and contributes meaningfully to the overall photoprotective profile of a formulation containing it. The essential fatty acids in the oil also help maintain and restore the skin's lipid barrier, reducing trans epidermal water loss and supporting recovery in UV-exposed or environmentally stressed skin.(Seeram et al., 2006)

Established Cosmetic Use:

Red raspberry extract and seed oil are well-established across moisturizers, anti-aging serums, lip products, and sun-care formulations. They are particularly valued for dry, mature, and sun-damaged skin, skin types that need both protection and nourishment simultaneously. In the Photoshield mask, raspberry contributes antioxidant density, barrier support, and a mild UV-absorbing boost, while also improving the skin's feel and radiance after the mask is removed.(Seeram et al., 2006)

4. Marigold (*Calendula officinalis*) The Healer and Soother:

Source and Background:

Calendula officinalis pot marigold is one of the most widely used medicinal plants in Western herbal tradition, valued for centuries for its wound-healing, anti-inflammatory, and skin-soothing properties. A member of the Asteraceae family, it is native to the Mediterranean region but now cultivated globally, primarily for its distinctive bright orange and yellow

flowers. Those flowers are the part of the plant that matters most in cosmetic applications they are the source of calendula's rich complex of bioactive compounds.

What's Inside?

Calendula's chemistry is notably diverse. Its flavonoids including quercetin, isorhamnetin, and narcissin provide antioxidant and anti-inflammatory activity. Triterpenoids, particularly oleanolic acid and its glycosides, are responsible for much of the plant's wound-healing and tissue-regenerating capacity. Carotenoids lutein and beta-carotene not only give the flowers their vivid colour but also contribute antioxidant protection and mild UV-absorbing properties. Saponins add additional anti-inflammatory and antimicrobial activity, while the essential oils round out a phytochemical profile that is unusually broad for a single plant source.(*Anti-Inflammatory Activity of Flower Extract of Calendula Officinalis* Linn. and Its Possible Mechanism of Action - PubMed, n.d.)

What It Does for Skin?

Calendula's standout quality in skin care is its gentleness paired with genuine efficacy a combination that is rarer than it might seem. Its anti-inflammatory and wound-healing properties are among the most clinically validated of any commonly used cosmetic botanical, making it particularly valuable in formulations intended for sensitive, reactive, or damaged skin. In the context of the Photoshield mask, this is directly relevant: UV-exposed skin is, by definition, inflamed and stressed, and an ingredient that can actively calm that response while simultaneously providing antioxidant protection is extraordinarily useful.

Calendula reduces erythema and redness, promotes the regeneration of damaged skin cells, and enhances overall skin recovery effects attributed primarily to its triterpenoid saponins and flavonoid content. Its carotenoids contribute to ROS scavenging and provide a mild degree of photoprotective UV absorption. And because calendula is among the most well tolerated cosmetic botanicals available, it broadens the formulation's suitability to include even the most reactive and sensitive skin types including post-procedure and sun-sensitized skin.(Ujfalusi et al., 2010)

Established Cosmetic Use:

Calendula's cosmetic credentials are extensive and long-standing. It is a standard ingredient in baby care products, after-sun preparations, healing ointments, sensitive-skin creams, and barrier-repair formulations-precisely because its combination of efficacy and gentleness makes it universally applicable. In the Photoshield mask, marigold plays a

dual role: it reinforces the formulation's antioxidant and anti-inflammatory activity, and it ensures that even the most sensitive user can apply this mask

without concern. It is the ingredient that makes the whole formulation more inclusive.(Ujfalusi et al., 2010).




Fig:1 (Camellia Sinesis)




Fig:2 (Vetiver root)




Fig:3 (Red raspberry)




Fig:4 (Calendula officinalis)

Table 1: Herbal Ingredients-Sources, Phytoconstituents & Skin Benefits

A comparative overview of the four key botanical actives selected for the Photoshield formulation.

Ingredient	Plant sources	Phytoconstituents	Skin benefits	Primary role
Green Tea	Camellia sisensis	EGCG, EGC, ECG, Epicatechin, Vitamins C & E, Caffeine	ROS scavenging, MMP inhibition, anti-inflammatory, antimicrobial, skin clarity	Antioxidant anchor / photoprotection
Vetiver Root	Chrysopogon zizanioidies	Vetiverol, Vetivone, Khusimol, Sesquiterpenes, Phenolics	Calming, cooling, anti-inflammatory, hydration, redness reduction	Soothing and sensory enhancer
Red raspberry	Rubus idaeus	Vitamins C & E, Ellagic acid, Anthocyanins, Flavonoids, Omega-3 & Omega-6 fatty acids	Free radical scavenging, collagen protection, barrier repair, mild UV absorption	Nourishing protector / anti-aging
Marigold	Calendula officinalis	Quercetin, Isorhamnetin, Triterpenoids, Carotenoids, Saponins, Essential oils	Anti-inflammatory, wound healing, tissue regeneration, erythema reduction	Healer and skin recovery agent

The Synergistic Case: Why These Four, together:

Individually, each of these four herbal ingredients brings something real and scientifically substantiated to the Photoshield formulation. But the more important story is what happens when they are combined.

Green tea provides the primary antioxidant firepower broad-spectrum ROS scavenging, MMP inhibition, and anti-inflammatory activity at a level supported by some of the most robust evidence in cosmetic dermatology. Red raspberry adds a

complementary antioxidant layer through its vitamins, polyphenols, and ellagic acid, while its seed oil contributes barrier support and a mild UV-absorbing component that deepens the formulation's photoprotective reach. Vetiver brings the calming, hydrating, and sensory dimensions that make the mask pleasant and tolerable to use because a formulation that users enjoy is one, they apply consistently, and consistency is what produces real results. And marigold ties it all together with its healing, soothing, and regenerative properties,

ensuring that the mask doesn't just protect the skin during application but actively supports its recovery and renewal afterward. (Rizzardi, Liparulo, Antonelli, Orsini, Riva, Bergamini, Fato, et al., 2021b)

No single synthetic antioxidant can replicate this range. The diversity of mechanisms, phytoconstituents, and biological targets covered by this herbal combination is precisely what makes the Photoshield concept compelling not just as a cosmetic product, but as a genuinely multifunctional, science-backed approach to protecting skin from the inside of its own biology outward.

Peel-Off Mask: Formulation Science:

A great herbal ingredient list is only as good as the formulation that delivers it. This is one of the most important and frequently underappreciated truths in cosmetic science: even the most potent botanical actives will fail to produce meaningful results if they are not suspended, stabilized, and delivered to the skin in a system that actually works. For the Photoshield antioxidant herbal peel-off mask, understanding the formulation science behind the peel-off dosage form is not background knowledge it is central to the product's success. (Rizzardi, Liparulo, Antonelli, Orsini, Riva, Bergamini, Fato, et al., 2021b) Peel-off masks have earned their place in the skincare landscape not just because they feel satisfying to use, but because they genuinely do something useful: they hold active ingredients in sustained contact with the skin, they physically remove surface impurities when lifted away, and they offer a delivery mechanism that is more intimate and prolonged than a rinse-off product and more engaging than a leave-on serum. What follows is a close look at the science that makes this possible and the formulation decisions that determine whether it works well or poorly. (Roelandt et al., 2009a)

What Is a Peel-Off Mask, and What Makes One Type Different from Another?

At its core, a peel-off mask is a semisolid topical formulation that, when applied to the skin and allowed to dry, forms a continuous flexible film that can be removed in a single, intact piece. As it lifts away, it takes with it dead skin cells, excess sebum, surface dirt, and other accumulated impurities a dual-action product that both delivers and removes simultaneously. (Olisova et al., 2018a)

Not all peel-off masks are built the same way, and the formulation type chosen has real implications for the kind of skin it suits, the actives it can carry, and the experience it delivers.

1. Gel-Based Masks-The Preferred Platform for Herbal Antioxidants:

Gel-based peel-off masks are built around water-soluble film-forming polymers and are the most widely used format in modern cosmetic science and the most relevant for the Photoshield formulation. Their transparency or translucency makes them aesthetically appealing, but their more important advantage is functional: they are excellent carriers for water-soluble herbal extracts and antioxidant actives, they spread easily and uniformly, and they dry relatively quickly. For a formulation whose primary purpose is delivering plant-based antioxidants to the skin, gel-based is the logical choice. (Benson & Watkinson, 2012)

2. Cream-Based Masks-Richer but Slower:

Cream-based peel-off masks incorporate emollients and oils alongside film-forming agents, making them better suited to dry or mature skin types that need additional moisturization during the treatment. The trade-off is drying time the higher oil content slows water evaporation and film formation, which can affect user experience and perceived performance. For the Photoshield mask's target of photoprotection and antioxidant delivery, cream-based systems are a secondary consideration.

3. Film-Forming Masks-Deep Clean with Minimal Extras:

Polymer-focused film-forming masks minimize oil content and emphasize strong, clean film formation. They are effective for deep cleansing and pore-tightening applications, but their reduced emollient content makes them less suited to delivering the kind of nourishing herbal actives central to the Photoshield concept. They are better understood as a cleansing platform than a treatment platform. (Chiellini et al., 2003a)

4. Film-Forming Polymers: The Backbone of the Formulation:

The film-forming polymer is the single most consequential ingredient in a peel-off mask formulation. It determines everything that matters most about the product's performance: how the film forms, how strong and flexible it is, how long it takes to dry, how smoothly it peels, and how well it carries active ingredients to the skin. Choosing the right polymer or the right combination is the first and most critical formulation decision.

5. Polyvinyl Alcohol (PVA)-The Industry Standard:

PVA is the most widely used polymer in peel-off masks, and its dominance in the field is well-earned. It is water-soluble, produces exceptionally clear and flexible films, provides excellent mechanical strength, and peels smoothly and cleanly which is precisely the sensory experience that makes peel-off masks so satisfying to use. It is also non-toxic and

well-tolerated by skin across a range of types and sensitivities.

The concentration of PVA in the formulation is a lever that controls multiple performance variables simultaneously. Higher concentrations increase viscosity, which affects spread ability; they also increase film thickness and peel strength. Lower concentrations produce thinner, faster-drying films that may not remove impurities as effectively. Finding the optimal PVA concentration for the Photoshield formulation requires balancing these variables against each other and against the requirements of the herbal actives being carried.(Roelandt et al., 2009b)

6. Hydroxypropyl Methylcellulose (HPMC)- The Versatile Partner:

HPMC is a semi-synthetic cellulose derivative that brings complementary properties to a PVA-based system. Where PVA provides structural strength, HPMC enhances spread ability, improves uniformity of film formation across the skin surface, and contributes a degree of skin hydration that PVA alone does not provide. Importantly, HPMC also helps stabilize herbal extracts within the formulation matrix a function that becomes critical when working with polyphenol-rich plant actives that are prone to degradation or precipitation. HPMC is most commonly used in combination with PVA, where the two polymers together produce film properties that neither achieves alone.(Siepmann & Peppas, 2012)

7. Carbopol (Carbomer)-Viscosity and Texture Control:

Carbopol is a synthetic high-molecular-weight polymer used primarily as a thickening and gelling agent. It doesn't form films on its own in the way that PVA does, but it plays an important supporting role by providing precise viscosity control, stabilizing suspensions of herbal particles, and giving the formulation a smooth, elegant texture that spreads predictably and comfortably. One important consideration: Carbopol is acidic in its un-neutralized form and requires the addition of a neutralizing agent typically triethanolamine to form its characteristic gel structure. This neutralization step must be managed carefully, because the final pH of the system will influence both skin tolerability and the stability of antioxidant actives.(Karim & Bhat, 2008)

8. Gelatine The Natural Option:

Gelatine occupies a different position in this polymer landscape: it is protein-derived, biodegradable, and inherently skin-friendly, which makes it appealing in the context of a natural herbal formulation. It forms flexible, skin-compatible films and is well-tolerated across skin types. The limitations are practical: gelatine-based films are more sensitive to humidity and temperature than synthetic polymers, which complicates stability across varying storage and use conditions. In climates or contexts where temperature control cannot be guaranteed, this sensitivity becomes a real formulation challenge. Gelatine is best considered as a complementary or enhancing agent in blended polymer systems rather than a standalone film-former for a product intended for broad commercial use.(Karim & Bhat, 2008)

Table 2: Film forming polymers – Comparison of keys excipients

Polymer	Type	Film Properties	Advantage	Limitation/ Consideration
Polyvinyl Alcohol	Synthetic, water-soluble	Clear,flexible ,strong	Industry standard; excellent peel; smooth removal; skin compatible Improves spreadability;	Concentration affects viscosity and peel strength; needs optimization
HPMC	Semi – synthetic cellulose	Uniform, hydrating	stabilizes herbal extracts; adds hydration	Best used in combination with PVA; limited standalone film strength
Carbopol	Synthetic high -MW Polymer	Gel – forming	Precise,viscosity control , stabilizes herbal particles	Requires neutralization; pH management critical; affects antioxidant stability
Gelatine	Protein – Derived , Natural	Flexible, skin friendly	Biodegradable; well-tolerated; compatible with herbal concept.	Humidity/temperature sensitive; unstable in tropical climates; best as complement

The Supporting Cast: Excipients and What They Actually Do:

The polymer provides the structure but the excipients determine whether the formulation is actually pleasant, effective, and stable to use. Each excipient in a peel-off mask has a specific job to do, and every one of them must be compatible with the polymer system and the herbal actives it carries.

1. Humectants-Keeping Moisture in the Right Place:

Glycerine and propylene glycol are the most commonly used humectants in peel-off masks, and their role is more nuanced than simply 'adding moisture.' During the drying phase, humectants slow the rate of water evaporation from the film which matters because too-rapid drying can create an uncomfortably tight, rigid film that pulls at the skin before it can be comfortably removed. Humectants keep the film flexible and comfortable during the waiting period, improve the overall spread ability of the fresh formulation, and leave the skin feeling hydrated rather than stripped after the mask is removed. In an herbal antioxidant formulation, they also help maintain a favourable microenvironment for sensitive phytoconstituents during the drying process. (Mukherjee et al., 2011b)

2. Plasticizers-The Difference Between a Clean Peel and a Crumbling Mess:

Plasticizers glycerine and polyethylene glycol are the most common reduce the brittleness of the dried polymer film by interrupting tight polymer chain packing and increasing molecular flexibility. This is not a minor cosmetic consideration; it is fundamental to the product working as intended. A peel-off mask film that lacks adequate plasticizer will crack and fragment during removal rather than lifting cleanly in one piece which defeats the entire mechanical cleansing mechanism and creates a frustrating user experience. Getting the plasticizer concentration right means the film peels smoothly, completely, and comfortably, which is what makes the product satisfying rather than messy. (Fluhr et al., 2008)

3. Preservatives-Non-Negotiable for Water-Based Herbal Formulations:

Any water-based cosmetic formulation requires preservation against microbial contamination and herbal formulations, with their complex mixture of organic plant compounds, represent a particularly hospitable growth environment for bacteria and fungi. This is not optional: a product that becomes microbiologically contaminated during its shelf life poses a genuine safety risk to users. Conventional systems often rely on parabens; more contemporary formulations may use phenoxyethanol,

ethylhexylglycerin, or other preservative systems that are effective while meeting evolving consumer preferences. Where natural preservation options are considered, their actual efficacy must be rigorously tested rather than assumed.

4. Thickeners Consistency and Stability:

Carbopol and xanthan gum serve as thickening agents that give the formulation the right viscosity for application thick enough to sit on the skin during the drying phase without running, but fluid enough to spread easily with a brush or fingertips. Beyond texture, thickeners also contribute to formulation stability by reducing the tendency for phase separation or sedimentation of herbal particles over time. In a formulation containing multiple plant extracts with varying solubilities, this stabilizing function is practically important for ensuring that the product performs consistently from the first application to the last. (De Tollenaere et al., 2020)

5. Emollients Skin Feel and Post-Peel Comfort:

Aloe vera gel and light botanical oils are the most commonly used emollients in herbal peel-off masks, and they serve a dual purpose. During application, they improve the spread ability and skin feel of the formulation. After removal, they leave the skin surface smooth and comfortable rather than tight or sensitized. For a formulation targeting UV-stressed skin which is often already reactive and irritated the emollient component is not an afterthought; it is part of the therapeutic value proposition. Aloe vera in particular brings its own soothing, anti-inflammatory, and hydrating properties to the formulation, effectively functioning as both an excipient and an active ingredient. (Chen et al., 2012)

6. Solubilizing and Stabilizing Herbal Extracts: The Formulator's Challenge:

Introducing herbal extracts into a peel-off mask base is where much of the real formulation work happens and where many otherwise promising products fall short. Herbal extracts are chemically complex: they contain dozens to hundreds of individual compounds with varying polarities, solubilities, and stabilities, all of which must coexist within a single formulation matrix without degrading, precipitating, or interacting adversely with the polymer system.

The first challenge is solubilization. Aqueous herbal extracts dissolve readily in gel-based systems, but extracts containing significant lipophilic constituent's essential oils, carotenoids, fat-soluble vitamins require co-solvents such as propylene glycol, or emulsifiers to achieve uniform distribution. For particularly sensitive antioxidants like polyphenols and Vitamin C, microencapsulation offers a more sophisticated solution: encapsulating the active in a protective shell that shields it from the formulation

environment until it reaches the skin.(Chen et al., 2012; Mukherjee et al., 2011b)

The stability challenges are equally real. Polyphenols the primary antioxidant actives in green tea and red raspberry are prone to oxidation when exposed to air, and that oxidation destroys their biological activity. Colour changes, precipitation, and microbial contamination are all potential degradation pathways that must be proactively managed. The formulation response involves a combination of strategies: antioxidant stabilizers (such as ascorbic acid or tocopherol) added to the base, controlled pH maintenance to preserve extract stability, light-protective packaging to prevent photodegradation, and rigorous compatibility testing between each polymer and each herbal constituent before the final formulation is locked in.

pH: The Variable That Touches Everything:

Skin's natural surface pH sits in the range of 4.5 to 5.5 slightly acidic and this acidity is not incidental. It is actively maintained by the skin's acid mantle and plays a critical role in barrier function, microbiome health, and enzymatic activity at the skin surface. Formulations that deviate significantly from this range risk disrupting the barrier, causing irritation, and reducing the stability and activity of pH-sensitive ingredients.

For a peel-off mask formulation containing herbal antioxidants, pH management is genuinely complex. Carbopol, a commonly used thickener, requires alkaline neutralization to form its gel network but excessive alkalinity destabilizes polyphenolic antioxidants and irritates the skin. Vitamin C is most stable and biologically active at pH values below 3.5 but that degree of acidity may compromise other formulation components or cause skin discomfort. These competing constraints mean that pH optimization is an iterative process, not a single adjustment, and must be conducted with the complete formulation rather than with individual ingredients in isolation.(Chen et al., 2012)

The practical consequence of getting pH wrong is significant: antioxidant activity is reduced, herbal extracts may become unstable or change colour, polymer performance can be altered, and users may experience irritation or discomfort during the dwell time. pH is not one variable among many it is the variable that influences almost all the others simultaneously.(Ali & Yosipovitch, 2013)

The Film-Forming and Peeling Mechanism: What Actually Happens on Skin?

Understanding the physics of how a peel-off mask works is useful both for formulation optimization and for appreciating why this dosage form is uniquely

suited to delivering herbal antioxidants. The process unfolds in four distinct phases, each with specific formulation requirements.

1. Phase 1-Application:

The mask is applied to cleansed skin typically with a brush or fingertips in an even, moderately thick layer. The formulation's viscosity at this stage must be in the right range: too thin and it runs before forming a continuous film; too thick and it resists spreading and leaves an uneven layer. Humectants and thickeners are the primary levers for achieving spreadable, clinically appropriate consistency. (Benson, 2005)

2. Phase 2-Drying and Film Formation:

This is where the formulation chemistry does its most important work. As water evaporates from the applied layer, polymer chains primarily PVA move progressively closer together. Hydrogen bonding between chains strengthens, molecular cohesion increases, and a continuous, flexible film gradually forms across the skin surface. This process takes between 15 and 30 minutes, depending on polymer concentration, ambient temperature, and humidity. It is during this phase that active herbal constituents have their best opportunity to interact with the skin the sustained contact time and the mild occlusion created by the forming film both contribute to enhanced penetration of antioxidant actives into the viable epidermis.(Chiellini et al., 2003b)

3. Phase 3-Adhesion to Impurities:

As the film solidifies, it adheres physically to the surface materials it has enveloped: dead corneocytes, sebum, particulate pollutants, and the debris that accumulates in pore openings. The adhesive strength of the dried film must be calibrated carefully strong enough that these impurities are captured and held as the film is removed, but gentle enough that the film does not adhere so strongly to living skin that removal causes trauma. This balance is achieved through the interplay of polymer concentration, plasticizer content, and the presence of emollients that moderate interfacial adhesion.

4. Phase 4-Peeling:

When the film is grasped at an edge and peeled back ideally in a single continuous motion mechanical exfoliation occurs simultaneously with impurity removal. The dried polymer film lifts the adhered surface materials cleanly away from the skin, leaving the surface visibly smoother, pores appearing more refined, and texture improved. Plasticizers are essential here: without adequate plasticizer content, the film will crack or fragment during removal rather than peeling cleanly, breaking the user experience and reducing the mechanical cleansing efficacy. A

well-plasticized film peels in one piece with a tactile satisfaction that is part of what makes the peel-off format so compelling to users. (Olisova et al., 2018b)

Bringing It Together:

The formulation of a peel-off mask is a balancing act of considerable complexity. Every ingredient polymer, excipient, herbal extract, pH modifier must be chosen not just for what it contributes individually but for how it behaves in the presence of everything else in the system. PVA and HPMC provide structural integrity and flexibility; humectants and plasticizers control the film's physical behaviour during drying and removal; preservatives protect a microbiologically vulnerable water-based system; and careful pH management keeps both the skin and the actives in their optimal operating range.

For the Photoshield formulation specifically, this science matters because the herbal actives are the point. Green tea catechins, red raspberry polyphenols, vetiver phenolics, and calendula flavonoids are only as valuable as the system that delivers them and a peel-off mask formulated with precision and scientific rigor is capable of delivering them in a way that achieves real, measurable photoprotective benefit. That is the standard this formulation is designed to meet. (Michalak, 2023b)

FUTURE SCOPE:

The trajectory for antioxidant herbal peel-off masks and for the Photoshield formulation specifically is both clear and compelling. Consumer demand for natural, plant-based skincare is not a temporary trend; it reflects a structural shift in how people think about what belongs on their skin, how it is produced, and what happens to it after use. The challenge and the opportunity lie in meeting that demand with products that are not just marketed as natural but genuinely deliver on the science.

Standardization of herbal extracts is the most immediate research frontier. Botanical ingredients are inherently variable the same plant species grown in different soils, harvested at different times, or extracted with different solvents will yield materials with different phytochemical profiles and different levels of antioxidant activity. To produce a cosmetic product with consistent performance batch after batch, those extracts must be standardized to defined concentrations of marker compounds EGCG for green tea, ellagic acid for raspberry, specific flavonoid profiles for marigold and vetiver. HPLC, UV-Vis spectrophotometry, and targeted phytochemical assays are the analytical tools that make this standardization possible, and investing in that rigor is what separates a professional cosmetic

formulation from a well-intentioned but inconsistent herbal preparation. (Michalak, 2023b)

Clinical validation is the second critical step. Small-scale in vitro antioxidant assays and preliminary stability studies are valuable they establish proof of concept and guide formulation development but they are not sufficient to substantiate therapeutic claims or support regulatory approval in markets with stringent cosmetic oversight. What is needed is well-designed clinical evaluation: controlled trials on diverse populations, dermatological patch testing to confirm safety across skin types, and long-term use studies to assess the formulation's effects on measurable markers of photoaging, pigmentation, and barrier function over weeks and months rather than days. This kind of evidence builds credibility, supports market positioning, and provides the scientific foundation that serious skincare brands rely on. (Rizzardi, Liparulo, Antonelli, Orsini, Riva, Bergamini, & Fato, 2021)

Advanced delivery technologies represent the next horizon for improving efficacy. Herbal antioxidants, particularly polyphenols and Vitamins C and E, are effective when they reach viable skin layers but getting them there in bioactive form through the stratum corneum barrier is not trivial. Nanotechnology-based systems-nano-emulsions, liposomes, solid lipid nanoparticles offer ways to encapsulate sensitive actives, protect them from degradation during storage, and enhance their penetration once applied to the skin. These are not speculative tools; they are established technologies in pharmaceutical and cosmetic science, and applying them systematically to herbal formulations could meaningfully elevate the performance ceiling of products like the Photoshield mask.

Sustainability and environmental responsibility will also shape the future of this category. Consumers who seek plant-based skincare often do so out of broader environmental and ethical values, and those values extend to packaging, sourcing, and end-of-life disposal. Biodegradable, recyclable, or refillable packaging systems; sustainably sourced botanicals certified through credible supply chain standards; formulation choices that minimize water waste and energy consumption during production these are not peripheral concerns. They are central to the value proposition of a product positioned as natural and responsible, and they will increasingly become competitive differentiators in the marketplace. (Rizzardi, Liparulo, Antonelli, Orsini, Riva, Bergamini, & Fato, 2021)

Finally, there is room for formulation diversification and customization. Skin is not uniform, and a single formulation optimized for one skin type may be

suboptimal for another. Oily, acne-prone skin benefits from oil-control and antimicrobial actives; dry, mature skin needs additional emollients and barrier-supporting lipids; sensitive skin requires the gentlest possible ingredient profile and the strictest avoidance of known irritants. Developing targeted variants of the Photoshield formulation each optimized for a specific skin context expands the addressable market and ensures that more users can access the photoprotective benefits the formulation is designed to deliver.

CONCLUSION:

The Photoshield antioxidant herbal peel-off mask formulated with vetiver root, green tea, marigold, and red raspberry is more than an incremental improvement on existing peel-off products. It represents a genuine convergence of botanical tradition, modern formulation science, and a growing understanding of what skin actually needs to defend itself against the photooxidative stress of contemporary life. In an industry increasingly shaped by consumer skepticism toward synthetic chemicals and a demand for transparency, natural efficacy, and environmental responsibility, this formulation meets the moment.(Michalak, 2023c) What makes this blend work is synergy at the molecular level. Green tea brings the antioxidant firepower catechins and polyphenols that scavenge free radicals with documented efficacy, protecting the skin from the oxidative cascade that drives premature aging and structural breakdown. Red raspberry contributes its own antioxidant depth through Vitamin C and anthocyanins while supporting collagen synthesis and skin brightness addressing both protection and visible improvement simultaneously. Marigold adds the anti-inflammatory and tissue-regenerating capacity that makes the formulation tolerable and effective even for reactive, sensitized skin recovering from UV exposure. And vetiver root closes the loop with its cooling, calming, and antimicrobial properties, ensuring that the user experience is as soothing as the underlying science is sound.(Michalak, 2023c).

The peel-off dosage form is not incidental to this formulation it is integral. The film-forming mechanism creates sustained contact between herbal actives and the skin surface, maximizing the window for antioxidant activity during the 15 to 30 minutes the mask remains in place. When the film is removed, it mechanically lifts away accumulated surface debris dead skin cells, excess sebum, environmental particulates leaving the skin visibly cleaner, smoother, and more receptive to the protective benefits that remain. This dual action

delivers and remove is precisely what makes the peel-off format uniquely suited to this application. From a formulation perspective, the work lies in optimization: pH must be controlled to preserve both antioxidant stability and skin compatibility; viscosity must be calibrated to ensure even application and predictable drying; film-forming capacity must be balanced to produce a peel that is satisfying, complete, and gentle. When these variables are properly managed, the result is a product that is safe, stable, cost-effective, and genuinely beneficial not just cosmetically appealing, but functionally protective in a way that addresses the real biological challenges UV-exposed skin faces every day.

REFERENCES

1. Chaerunisaa AY, Khuzaimah Z, Surachman E. Peel-off gel mask containing green tea leaf extract (*Camellia sinensis* L.) with antioxidant activity. *Indones J Pharm*. 2021;3(1):1-8. doi:10.24198/ijdp.v3i1.30946.
2. Rachmawati P, et al. Optimization of rosella extract-based antioxidant peel-off mask formulation. *Cosmetics*. 2025;12(2):45. doi:10.3390/cosmetics12020045.
3. Apriani EF, Miksusanti M, Fransiska N. Formulation and optimization of peel-off gel mask with polyvinyl alcohol and gelatin. *Indones J Pharm*. 2022;33(2):261-268.
4. Fisher GJ, Kang S, Varani J, Bata-Csorgo Z, Wan Y, Datta S, et al. Mechanisms of photoaging and chronological skin aging. *Arch Dermatol*. 2002;138(11):1462-1470. doi:10.1001/archderm.138.11.146
5. Tomas M, Günel-Köroğlu D, Kamiloglu S, Ozdal T, Capanoglu E. The state of the art in anti-aging: plant-based phytochemicals for skin care. *Immun Ageing*. 2025; 22:5. doi:10.1186/s12979-025-00498-9
6. Velasco MVR, Sarruf FD, Salgado-Santos IMN, Haroutiounian-Filho CA, Kaneko TM, Baby AR. Short-term clinical evaluation of peel-off facial masks' moisturizers. *J Cosmet Dermatol*. 2014;13(2):146-152. doi:10.1111/jocd.12086.
7. Birade P, et al. Formulation and evaluation of herbal peel-off mask. *J Pharma Insights Res*. 2024;2(1):92-96.
8. Moltrasio C, Romagnuolo M, Marzano AV. Epigenetic mechanisms of epidermal differentiation. *Int J Mol Sci*. 2022;23(9):4874. doi:10.3390/ijms23094874.
9. Möbus L, Weidinger S, Emmert H. Epigenetic factors involved in the pathophysiology of inflammatory skin diseases. *J Allergy Clin Immunol*. 2020;145(4):1049-1060. doi: 10.1016/j.jaci.2019.10.015.
10. Mohania D, Chandel S, Kumar P, Verma V, Digvijay K, Tripathi D, et al. Ultraviolet radiations: skin defense-damage mechanism. *Adv Exp Med Biol*. 2017; 996:71-87. doi:10.1007/978-3-319-56017-5_7.
11. Fonseca AP, Dal Pizzol C, Vanzo AC, Silva GH, Facchini G, Pinheiro ALT, et al. Anti-aging effects of a skin care formulation containing nanoencapsulated

- antioxidants: a clinical, in vitro, and ex vivo study. *J Cosmet Dermatol*. 2024;23(2):510-524.
12. Tang X, Yang T, Yu D, Xiong H, Zhang S. Current insights and future perspectives of ultraviolet radiation exposure: friends and foes to the skin and beyond the skin. *Environ Int*. 2024; 185:108535. doi: 10.1016/j.envint.2024.108535.
 13. Nichols JA, Katiyar SK. Skin photoprotection by natural polyphenols: anti-inflammatory, antioxidant and DNA repair mechanisms. *Arch Dermatol Res*. 2009;302(2):71-83. doi:10.1007/s00403-009-1001-3
 14. Theile D, Geng S, Denny EC, Momand J, Kane SE. t-Darpp stimulates protein kinase A activity by forming a complex with its RI regulatory subunit. *Cell Signal*. 2017; 40:53-61. doi: 10.1016/j.cellsig.2017.08.012.
 15. Harwansh RK, Deshmukh R. Recent insight into UV-induced oxidative stress and role of herbal bioactives in the management of skin aging. *Curr Pharm Biotechnol*. 2023;25(1):16-41. doi:10.2174/1389201024666230427110815.
 16. Pacifico A, Leone G, Damiani G, Ferraro C, Iacovelli P, Paro Vidolin A, et al. Indeterminate cell histiocytosis: a case treated with ultraviolet B narrow band phototherapy. *Photodermatol Photoimmunol Photomed*. 2017;33(6):329-333. doi:10.1111/phpp.12327.
 17. Pillai S, Oresajo C, Hayward J. Ultraviolet radiation and skin aging: roles of reactive oxygen species, inflammation and protease activation. *Int J Cosmet Sci*. 2005;27(1):17-34. doi:10.1111/j.1467-2494.2004.00241.x.
 18. Jin Z, Zhang P, Huang H, Liu J, Jiang C, Zhang H, et al. Food-derived skin-care ingredients as a promising strategy for skin aging: current knowledge and future perspectives. *Colloids Surf B Biointerfaces*. 2024; 244:114170. doi: 10.1016/j.colsurfb.2024.114170
 19. Rizzardi N, Liparulo I, Antonelli G, Orsini F, Riva A, Bergamini C, et al. Coenzyme Q10 phytosome formulation improves CoQ10 bioavailability and mitochondrial functionality in cultured cells. *Antioxidants (Basel)*. 2021;10(6):927. doi:10.3390/antiox10060927.
 20. Rinnerthaler M, Bischof J, Streubel MK, Trost A, Richter K. Oxidative stress in aging human skin. *Biomolecules*. 2015;5(2):545-589.
 21. Ngoc LT, Moon JY, Lee YC. Antioxidants for improved skin appearance: intracellular mechanisms, challenges and future strategies. *Int J Cosmet Sci*. 2023;45(3):299-314
 22. Fratianni F, D'Acierno A, Cozzolino A, Spigno P, Riccardi R, Raimo F, et al. Biochemical characterization of traditional varieties of sweet pepper (*Capsicum annuum* L.). *Antioxidants (Basel)*. 2020;9(6):556. doi:10.3390/antiox9060556.
 23. Nichols JA, Katiyar SK. Skin photoprotection by natural polyphenols: anti-inflammatory, antioxidant and DNA repair mechanisms. *Arch Dermatol Res*. 2009;302(2):71-83.
 24. Mukherjee PK, Maity N, Nema NK, Sarkar BK. Bioactive compounds from natural resources against skin aging. *Phytomedicine*. 2011;19(1):64-73. doi: 10.1016/j.phymed.2011.10.003.
 25. Rinnerthaler M, Bischof J, Streubel MK, Trost A, Richter K. Oxidative stress in aging human skin. *Biomolecules*. 2015;5(2):545-589. doi:10.3390/biom5020545.
 26. Chaerunisaa AY, Surachman E, Khuzaimah Z. Peel-off gel mask containing green tea leaf extract (*Camellia sinensis* L.) with antioxidant activity. *Indones J Pharm*. 2021;3(1):1-8.
 27. Koch W, Zagórska J, Marzec Z, Kukula-Koch W. Applications of tea (*Camellia sinensis*) and its active constituents in cosmetics. *Molecules*. 2019;24(23):4277. doi:10.3390/molecules24234277.
 28. Michalak M. Plant extracts as skin care and therapeutic agents. *Int J Mol Sci*. 2023;24(20):15444. doi:10.3390/ijms242015444.
 29. de Tollenaere M, Chapuis E, Lapierre L, Bracq M, Hubert J, Lambert C, et al. Overall renewal of skin lipids with vetiver extract for a complete anti-ageing strategy. *Int J Cosmet Sci*. 2020;43(2):165.
 30. Oomah BD, Ladet S, Godfrey DV, Liang J, Girard B. Characteristics of raspberry (*Rubus idaeus* L.) seed oil. *Food Chem*. 2000;69(2):187-193. doi:10.1016/S0308-8146(99)00260-5.
 31. Seeram NP, Adams LS, Zhang Y, Lee R, Sand D, Scheuller HS, et al. Berry extracts inhibit growth and stimulate apoptosis of human cancer cells in vitro. *J Agric Food Chem*. 2006;54(25):9329-9339. doi:10.1021/jf061750g.
 32. Preethi KC, Kuttan G. Anti-inflammatory activity of flower extract of *Calendula officinalis*. *Indian J Exp Biol*. 2009;47(2):113-120.
 33. Ujfalusi Z, Barkó S, Hild G, Nyitrai M. Effects of formins on the conformation of subdomain 1 in actin filaments. *J Photochem Photobiol B*. 2010;98(1):7-11. doi: 10.1016/j.jphotobiol.2009.10.001.
 34. Roelandt T, Thys B, Heughebaert C, de Vroede A, de Paepe K, Roseeuw D, et al. LEKTI-1 in sickness and in health. *Int J Cosmet Sci*. 2009;31(4):247-254. doi:10.1111/j.1468-2494.2009.00516.x.
 35. Olisova OY, Snarskaya ES, Gladko VV, Burova EP. Russian traditional medicine in dermatology. *Clin Dermatol*. 2018;36(3):325-337. doi: 10.1016/j.clindermatol.2018.03.007.
 36. Benson HAE, Watkinson AC. Transdermal and topical drug delivery: principles and practice. Hoboken (NJ): Wiley; 2012.
 37. Chiellini E, Corti A, D'Antone S, Solaro R. Biodegradation of poly (vinyl alcohol)-based materials. *Prog Polym Sci*. 2003;28(6):963-1014. doi:10.1016/S0079-6700(02)00149-1.
 38. Karim AA, Bhat R. Gelatin alternatives for the food industry: recent developments, challenges and prospects. *Trends Food Sci Technol*. 2008;19(12):644-656. doi: 10.1016/j.tifs.2008.08.001.
 39. Fluhr JW, Darlenski R, Surber C. Glycerol and the skin: holistic approach to its origin and functions. *Br J Dermatol*. 2008;159(1):23-34. doi:10.1111/j.1365-2133.2008.08643.x.
 40. Chen L, Hu JY, Wang SQ. The role of antioxidants in photoprotection: a critical review. *J Am Acad*

- Dermatol. 2012;67(5):1013-1024. doi: 10.1016/j.jaad.2012.02.009.
41. Benson HAE. Transdermal drug delivery: penetration enhancement techniques. *Curr Drug Deliv.* 2005;2(1):23-33. doi:10.2174/1567201052772915.
42. Rizzardi, N., Liparulo, I., Antonelli, G., Orsini, F., Riva, A., Bergamini, C., & Fato, R. (2021). Coenzyme Q10 Phytosome Formulation Improves CoQ10 Bioavailability and Mitochondrial Functionality in Cultured Cells. *Antioxidants* 2021, Vol. 10, Page 927, 10(6), 927. <https://doi.org/10.3390/antiox10060927>
43. Michalak, M. (2023). Plant Extracts as Skin Care and Therapeutic Agents. *International Journal of Molecular Sciences* 2023, Vol. 24, Page 15444, 24(20), 15444.
44. Nemati MM, Abedi M, Ghasemi Y, Ashrafi H, Haghdel M. Formulation and evaluation of antioxidant and antibacterial activity of a peel-off facial mask moisturizer containing curcumin and Rosa damascena extract. *J Cosmet Dermatol.* 2024;23(6):2156-2169.
45. Winingrum LA, Zai K, Surachman E. Optimization of peel-off gel mask containing Anredera cordifolia (binahong) leaf extract using PVA–CMC–alginate combination. *J Res Pharm.* 2025;28(6):1953-1962.
46. Ambarwati NS, Desmiaty Y, Chandra A, Noviani Y, Triyani Y, Hakim RM, et al. Formulation of a peel-off gel mask containing Garcinia dulcis extract for antioxidant and anti-elastase activity. *J Ilmu Kefarmasian Indones.* 2025;23(1):58.
47. Rachmawati P, Kelvin A, Sidharta R, Lionita G, Kusuma IY. Optimization of rosella extract-based antioxidant peel-off mask using simplex lattice design. *Turk J Pharm Sci.* 2025;22(3):217-225.
48. Sari IM, Mahdi N, Syaiful RH. Formulation of peel-off gel mask from ethanol extract of Hibiscus rosa-sinensis leaves. *J Pharm Educ Pract Technol.* 2025.
49. Jamilatun M, Pratiwi MD, Yulianto S. Formulation and evaluation of peel-off face mask gel combining avocado leaf extract and jicama extract. *Formosa J Sci Technol.* 2024;3(8):1739-1748.
50. Parmar I, Ojha S, Sani D, Pardhe V, Gandhi Y. Natural peel-off mask formulation and evaluation. *Int J Innov Sci Res Technol.* 2024;9(4):474-479.
51. Patil H, Solanki K, Tare T, et al. Formulation and evaluation of multi-herb peel-off mask. *Int J Pharm Sci Rev Res.* 2024;84(4).
52. Lokhande S, Mankar S, Satpute A, Jadhao M. Formulation and evaluation of polyherbal peel-off mask. *Asian J Pharm Res Dev.* 2023;11(3).
53. Leuwisari AR, Yusuf AL. Formulation and evaluation of peel-off gel mask with tomato fruit extract using PVA base. *Ad-Dawaa J Pharm.* 2024;2(1).
54. Wang Y, Chen X. Application of plant extracts in cosmetics for anti-aging effects. *J Dermatol Sci Cosmet Technol.* 2024; 1:100014.
55. Jin Z, Zhang P, Huang H, Liu J, Jiang C, Zhang H, et al. Food-derived skincare ingredients as a promising strategy for skin aging. *Colloids Surf B Biointerfaces.* 2024; 244:114170.
56. He X, Gao X, Guo Y, Xie W. Research progress on bioactive factors against skin aging. *Int J Mol Sci.* 2024;25(7):3797.
57. Tomas M, Günel-Köroğlu D, Kamiloglu S, Ozdal T, Capanoglu E. Plant-based phytochemicals for anti-aging skin care. *Immun Ageing.* 2025; 22:5.